

Signed

## Organic Halogen Analysis Sample Submission Form

| Your Details (Please submit one form for each sample)   |   |              |                                 |  |                    |            |   |   |  |
|---|---|--------------|---------------------------------|--|--------------------|------------|---|---|--|
| Account No.   |   |              |                                 |  | Company            |            |   |   |  |
| Contact Name  |   |              |                                 |  |                    |            |   |   |  |
| Tel. No.  |   |              |                                 |  | Address            |            |   |   |  |
| E-mail  |   |              |                                 |  |                    |            |   |   |  |
| СС  |   |              |                                 |  |                    |            |   |   |  |
| Purchase<br>Order No.   |   |              |                                 |  |                    |            |   |   |  |
| Sample<br>Ref. No.  |   |              |                                 |  |                    |            |   |   |  |
| Quote R   |   |              |                                 |  |                    |            |   |   |  |
| All reports will be delivered by email  |   |              |                                 |  |                    |            |   |   |  |
| OFC-IC (Halogen) Sample Information & Analysis  Note: Failure to complete any of the boxes in this section will imply sample is not hazardous and requires no special treatment |   |              |                                 |  |                    |            |   |   |  |
|   | Sensitivities, Risks & Hazards (please tick a minimum of one box) |              |                                 |  |                    |            |   | e box)                                      |  |
|   |   | Carcinoger   | nic                             | Volatile Explo                                 |                    | plosive    | sive Not hazardous                              |   |  |
|   |   | Hygroscop    | oic Ligh                        | Light sensitive                                |                    | Unknown    |   |   |  |
| Preparation and Handling Required   |   |              |                                 |  |                    |            |   |   |  |
| Dry   |   | ing Required |                                 | Va   | cuum               | Tem        | np (°C)   | Time (Hours)                                |  |
|   | Grinding Required (Note – we are unable to grind sample           |              | ples un                         | es under an inert atmosphere)                  |                    |            |   |   |  |
|   | No special treatment required                                     |              |                                 |  |                    |            |   |   |  |
| Analysis  |   | Required?    | Expected<br>Value<br>(if known) | Single or<br>Duplicate<br>Analysis<br>(S or D) | Quantit<br>of Samp | y<br>le (s | Turn-<br>around<br>Time<br>tandard/<br>pedited) | Comments,<br>sample description,<br>formula |  |
| E.g. Bromine  |   | х            | 75%                             | D  | 5mg                |            | standard  |   |  |
| Fluorine  |   |              |                                 |  |                    |            |   |   |  |
| Chlorine  |   |              |                                 |  |                    |            |   |   |  |
| Bromine   |   |              |                                 |  |                    |            |   |   |  |
| Iodine  |   |              |                                 |  |                    |            |   |   |  |

For internal use only:

Date Received For Review Declined Accepted

Elemental Microanalysis Ltd. Hameldown Road, Okehampton Business Park, Exeter Road, Okehampton, Devon EX20 1UB
Tel 0800 024 8250 Or (01837) 54446 F-mail analysi@microanalysis co.uk Web www.elementallab.co.uk

Name\*

\*if different from the above contact name

Elemental Microanalysis Ltd. Hameldown Road, Okehampton Business Park, Exeter Road, Okehampton, Devon EX20 1UE
Tel 0800 024 8250 Or (01837) 54446 E-mail <u>analyst@microanalysis.co.uk</u> Web <u>www.elementallab.co.uk</u>
Form ref QC\_QCD\_halogensamplesubmission\_v1.pdf July 2022
Terms and Conditions ( T&C ) available